Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





Landscaping which Lasts"

NEW AUGUSTA, IND.

| | SURPLUS LIST | r | SPRING 1950 | | |
|----------------------------|---------------|---------|---------------------------------|--------|-------|
| LINING-OUT GRADES. Price | es listed are | per eac | th in lots of 25 or more at 100 | rate (| c) |
| 250 or more at 1,000 rate | e (m) | M | | C | PÁ |
| DUMIG | C | | TAXUS | | |
| BUXUS | | | Canadensis Stricta | | |
| Carr Hårdy | 120 | 18 | 8-10"xx | . 28 | |
| l yr. pots 2 yr. pots | 24 | .22 | Cuspidata (Spreading) | | |
| 8-10"xx | 30 | • ~~~ | l yr. pots | ,20 | .18 |
| JUNIPERUS | • 50 | | 2 yr. pots | .25 | :23 |
| Chinensis Pfitzeriana | | | 6-8"x | .27 | ,24 |
| lyr. pots | .22 | .20 | 8-10"xx | .40 | .37 |
| 2 yr. pots | ,25 | ,22 | 10-12"xx | :50 | .45 |
| 3-10"x | .28 | .25 | 12-15"xxx | .60 | |
| Communis (Vase) | | | Cuspidata Brevifolia | | 0.0 |
| 1 yr, pots | .17 | ,15 | 8. J.0 ¹¹ 202 | •35 | ,30 |
| Horizontalis Plumosa | (Andorra) | , | Cuspidata Capitata | 0.5 | 00 |
| 1 yr. pots | .17 | .15 | 2 yr. pots | ,25 | .23 |
| 2 yr. pots | .23 | | 6-8"x | .27 | 10 |
| Virginiana Canaerti | | | 8-10''xxx | .45 | .40 |
| 8-10"xx | .28 | | Cuspidata Densifolia | .25 | .23 |
| Virginiana Glauca | | 0.0 | 2 yr, pots | .27 | 0 600 |
| 6-8"12 | .25 | .23 | 6-8"x 8-10"xx | .35 | |
| Virginiana Kettleri | 00 | 05 | Cuspidata Dutuileri | • 27 | |
| 8-10 xx | .28 | .25 | 1 yr. pots | :20 | :18 |
| Virginiana Pyramidifo | rma (Dundee) | .25 | 2 yr. pots | .25 | 23 |
| 2-10"xx | , 28 | 447 | 6-8"x | .27 | .21 |
| TAXUS | | | 8-10"xx | .35 | |
| Baccata Aurea | .40 | | Cuspidata Intermedia | | |
| 10–12"xx Baccata Erocta | e40 | | 1 yr. pots | .20 | 18 |
| 6-8"x | ,25 | | 2 yr pots | .25 | .23 |
| 8-1.0 ⁴ xx | 35 | | 6-8"x | .27 | :214 |
| 10-12"xx | .40 | | 8-10"xx | .35 | e32 |
| Baccata Procumbens | *17 | | 10-12"xx | .40 | |
| 2 yr. pots | .24 | | 12-15"xxx | ,60 | |
| Baccata Repandens | | • | Cuspidata Kallay Improved | | |
| 1 yr. pots | .20 | :18 | 2 yr. pots | .25 | .23 |
| 2 yr. pots | : 24 | .22 | 6-8"x | .27 | ,21, |
| 6-8"x | .26 | | 8-10"xx | .40 | :37 |
| 10-12"xx | .45 | | 10-12"xx | .50 | 45 |
| | | | 12-15"xxx | •60 | |

NURSERY AT 82ND ST. AND LAFAYETTE RD., INDIANAPOLIS, INDIANA

ontho Digital Marsan Maria Salaha

Lundraping which Lasts


NEW ADGUSTA, IND

SHREW 1950

TRILL ENGENUE

Ouestart (penaling) i gr. bets i gr. ets 1 44. 1 DE (amply) churchylic . 25 1 35 x 7 B . . 1 4 Beetut : Trecumbens . : : 100 AN . 30 8S.

| L | NING-OUT G | RADES Con | t'd Page 2. | | |
|--------------------------|-------------------|-----------|---|-------------|------|
| 74 272 40 | C. | M. | | C. | M. |
| TAXUS | 1 7 7 6 | | TAXUS | | 0 |
| Cuspidata Nana | . 00 | | Media Hatfieldi | * | * |
| l yr. pots | :20 | :18 | 1 yr. pots | ,20 | :18 |
| 2 yr. pots 6-8"x | •23 | 21 | 2 yr. pots. | .24 | .22 |
| 8-10"xx | .25 :35 | *24 | 6-8"x | ,25 | :23 |
| 10-12"xx | 45 | | 8–10"x 10-12"xx | 128 | :25 |
| 12-15"xxx | \$55 | | Media Hicksi | .40 | .37 |
| Cuspidata Nana Grandif | lora | | 1 yr. pots | :19 | .70 |
| 6-8"x | .30 | | 2 yr. pots | 23 | .21 |
| Cuspidata Nigra | BINDS WAR | | 6-8"x | 28 | :25 |
| 1 yr. pots | 20 | ,18 | 10-12"xx | •34 | .31 |
| 2 yr. pots | 25 | .23 | Media Hunnewelleana | 42.4 | |
| 6-8"x 8-10"xx | :27 | | l yr. pots | :20 | |
| Cuspidata Ovata | .40 | | 2 yr. pots | .24 | :22 |
| 2 yr. pots | .00 | 7.0 | 6-8"x | :25 | :23 |
| 6-8"x | 25 | ,18 | 8-10"xx | .40 | .37 |
| 8-10"xx | :30 | | 10-12"xx | •45 | ,40 |
| 10-12"xx | .35 | | Media Jeffreyi Pyramidal 8-10"xx | 25 | |
| Cuspidata Pyramidalis | Hilli. | | Media Kelseyi | :35 | |
| 1 yr. pots | 220 | ,18 | 2 yr. pots | ,25 | |
| 2 yr, pots | 24 | 22 | 6-8"x | .30 | |
| 6-8! x | . 26 | .24 | Media Moon's Columnar | | |
| 8-10"xx | .40 | | 6-3"x | •30 | |
| Cuspidata Tardiva | | | Media Newport | | |
| 1 yr pots | 20 | 118 | 6-8"x | .30 | |
| 2 yr pots 6-8"x | · 2/ ₄ | . 22 | Media Stricta | | |
| 8-10"xx | :30 | | 6-8"x | * 30 | |
| Cuspidata Vermeulen | a40 | | Media Thayerae | | |
| 8-10"xx | :35 | | l yr. pots | ¥20 | *18 |
| 10-12"xx | ,50 | 1 5 | 6-8"x | 128 | |
| Media | ,,00 | .45 | 12-15"xxx Media Wardi | •45 | |
| 1 yr. pots | ;20 | .18 | 1 yr. pots | .20 | |
| 2 yr. pots | ;22 | .21 | Media Wellesleyana | 020 | |
| 6-8"x | 125 | ,22 | 2 yr. pots | :24 | ,22 |
| 8_10"xx | .32 | ;30 | 6-8"x | 28 | , ~~ |
| 10-12"xx | •35 | a32 | 8-10"xx | :30 | |
| 12-15"xxx | ±55 | | 10-12"xx | .35 | |
| Media Andersoni | 20 | | THUJA | 1 50 | |
| 1 yr, pots 2 yr. pots | .20 | :18 | Occidentalis Elegantissima | | |
| 6-8"x | .30 | *22 | l yr. pots | .16 | .14 |
| 10-12"xx | *45 | | Occidentalis Globosa l yr. pots | .14 | 7.1 |
| Media Browni | 647 | | 2 yr. pots | 16 | 014 |
| 6-8"x | :30 | | Occidentalis Warreana | ,20 | |
| 8-10"xx | u35 | | 1 yr. pots | .18 | |
| Media Cedar Hill | | | • | | |
| 10-12"xx | .40 | * | | No. 100 | |
| Media Cliftoni | | | 100000000000000000000000000000000000000 | | |
| l yr. pots | 20 | .18 | HEDERA Helix Baltica | | |
| Media Halloreana | :05 | | l yr. pots | .15 | 024 |
| 8-10"x 10-12"xx | *35 | | HYDRANGEA Otaksa Blue China | | 9 1 |
| T. TAK AA | *40 | | 1 yr. pots | p15 | *14 |



2907, ett 5

J'og . TE I GEOR STY S

Ligar pots


Lourselin alba ¢ = 1

4 4

uly ...

the state of the state of

Danielli ha Personaharia Mirin



. Vale

THE PROPERTY.

anterstoplio" strail

Costachterofa ellernopteou

onostrall, withdood

12 1/2 1-01

ior. 11 334

. 3.


h

AL &

NEW AUGUSTA, IND.

FINISHED GRADES - all prices B&B, FOB New Augusta, Ind., per each in lots of 1 through 4 at E, rate; 5 through 25 at thr X rate. Special rates in car lots or full semi-trailer


| Spreading types, Globes and Celumanr Hicks. | · TAXUS SPECIALS | | | | | | |
|--|-----------------------|--------|------------|--------------|------------|----------|--------|
| 15-12" | Spreading | types, | Globes and | | | | |
| 18-24 | | | | | | | |
| 2-2-1 | | | | | | | |
| L-L2 E | 18-24" | | | | | | |
| L-L2 E | 2-22 | | | | | | |
| L-L2 E | 22-3 | | | | | | |
| L-L2 E | 3-32' | | | | 8,50 | | |
| E X JUNIFERUS Germanis Suecica 4.75 4.25 2-22! 2.50 2.55 2.53 3.50 3.25 3.50 3.25 3.50 3.25 3.34 4.55 4.56 4.57 4.56 4.57 4. | 32-4 | | | | | | |
| JUNITERUS | 4-42 | E | Y | 10,27 | | F | v |
| Communis Suecica | TINTPEDIIS | T. | Δ. | TINTPUPIE | | 10 | Δ. |
| 3-4! 4.75 4.25 2-2! 2.50 2.25 4-5! 6.00 5.50 7.00 5-6! 10.00 9.50 Sabina von Ehron Chinensis Japonica Vase Shape 2.3! 6.00 5.50 4.50 3-4! 4.50 4.25 3.4! 6.00 5.50 4.50 5-6! 5.00 4.75 4.5! 5.00 4.50 5-6! 5.00 4.50 Chinensis Japonica Nana 2-2!! 5.00 4.50 5-6! 5-6! 6.00 5.50 Chinensis Japonica Procumbens 18-24! 2.75 2.50 Virginiana Burki Burk's Silver 2-2-2! 3.50 3.25 3-4! 6.00 5.50 7-8! 11.00 10.50 Chinensis Pfitzeriana 3-4! 6.00 5.50 7-8! 11.00 10.50 Chinensis Pfitzeriana Sina 3-4! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 Chinensis Pfitzeriana Sina 15-18! 3.75 3.50 6-7! 7.50 6.70 12-24! 7.00 6.50 Virginiana Canaerti 15-18! 3.75 3.50 6-7! 7.50 6.70 12-24! 7.00 6.50 Virginiana Canaerti 15-18! 3.75 3.50 6-7! 7.50 7.00 12-24! 7.00 6.50 Virginiana Canaerti 15-18! 3.75 3.50 6-7! 7.50 7.00 12-24! 5.00 4.75 Chinensis Pfitzeriana Aurea 15-18! 4.75 4.50 7-8! 9.00 8.00 Chinensis Pfitzeriana Aurea 15-24! 7.00 6.50 Virginiana Canaerti 2-3-4! 7.00 6.50 Virginiana Canaerti 2-3-4! 7.50 7.50 7.00 Chinensis Pfitzeriana Aurea 15-18! 3.75 3.50 6-7! 7.50 7.00 12-24! 5.00 4.75 4.50 7-8! 9.00 8.00 Chinensis Pfitzeriana Aurea 15-24! 7.50 7.50 7.00 Chinensis Pfitzeriana Aurea 15-25! 7.50 7.50 7.00 Chinensis Pfitzeriana Aurea 16-27! 7.50 7.00 6-70 The Fitzeriana Aurea 18-24! 5.00 4.75 5-6! 8.50 8.00 The Fitzeriana Aurea 18-24! 5.00 4.75 5-6! 8.50 8.00 The Fitzeriana Aurea 18-24! 5.00 4.75 5-6! 8.50 8.00 The Fitzeriana Aurea 18-24! 5.00 4.75 5-6! 8.50 8.00 The Fitzeriana Aurea 18-24! 5.00 4.75 5-6! 8.50 8.00 The Fitzeriana Aurea 18-24! 5.00 4.75 5-6! 8.50 8.00 The Fitzeriana Aurea 18-24! 5.00 4.75 6-7! 7.50 7.00 The Fitzeriana Aurea 18-24! 5.00 4.75 6-7! 7.50 7.00 The Fitzeriana Aurea 18-24! 5.00 8.75 7.50 7.00 The Fitz | | • | | | e Douglass | d Marken | ann |
| ## 5-6 | | 1. 75 | 1, 25 | | o boughase | | |
| 5-67 | | | | | | | |
| Chinensis Japonica Vase Shape 2 -3 3,50 3,25 3,4 4,50 4,25 4,5 5,00 4,50 3,4 4,50 4,25 5,6 4,5 5,00 4,75 5,6 6,00 5,50 6,75 5,6 6,00 5,50 6,75 5,6 6,00 5,50 6,75 5,6 6,00 5,50 6,75 5,6 6,00 5,50 6,75 5,6 6,00 5,50 6,75 6,75 5,6 6,00 5,50 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,00 4,75 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,71 6,50 6,50 6,71 6,50 6,50 6,71 6,50 6,50 6,50 6,71 6,50 | | | | | | | |
| Chinensis Japonica Vase Shape | | | | - ' | Ehron | | 14000 |
| 2 3 4 5 00 4.50 3.4! 4.50 4.25 3.4! 4.00 3.75 4.5! 5.00 4.75 2.2.3! 5.00 4.50 2.2.3! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.75 2.2.2! 5.00 4.50 2.2.2! 5.00 4.75 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.75 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.75 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 4.50 2.2.2! 5.00 5.50 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 4.75 2.2.2! 5.00 5.50 2.2.2! 5.00 5.50 2.2.2! 5.00 5.50 2.2.2! 5.00 5.50 2.2.2! 5.00 4.75 2.2.2! 5.00 5.50 2.2.2! 5.00 5.50 2.2.2! 5.00 5.50 2.2.2! 5.00 5.50 5.50 2.2.2! 5.00 5.50 5.50 2.2.2! 5.00 5.50 5.50 2.2.2! 5.00 5.50 5.50 5.50 5.50 5.50 5.50 5.5 | | | | | | 3:50 | 3.25 |
| 3-4 6.00 5.50 4-5 5.00 4.75 4-5 7.50 6.75 5-6 6.00 5.50 Chinencis Japonica Nana 2-2\frac{1}{2} 7.50 6.75 2\frac{1}{2} 7.50 6.75 3-4 5.00 4.50 Chinonsis Japonica Procumbens 18-2\frac{1}{2} 3.50 3.25 3-4 5.00 4.75 2\frac{1}{2} 3 4.50 4.50 4.25 5-6 8.00 7.50 3-4 6.00 5.50 7-8 11.00 10.50 Chinensis Pfitzeriana 3.4 5.6 8.10 17.50 16.00 4-5 7.00 6.50 7-8 11.00 10.50 4-5 7.00 6.50 7-8 11.00 10.50 4-5 7.00 6.50 7-8 11.00 10.50 4-5 7.00 6.50 7-8 11.00 10.50 4-5 7.00 6.50 7-8 11.00 10.50 4-5 7.00 6.50 7-8 11.00 10.50 4-5 7.00 6.50 7-8 11.00 10.50 4-5 7.50 7.50 7.00 3.4 5.00 4.75 6-7 7.50 7.00 6.50 7-8 9.00 8.00 3-4 4.75 4.50 7-8 9.00 8.00 3-4 7.00 6.50 7-8 9.00 8.00 3-4 7.50 7.50 7.00 3-4 7.50 7.50 7.00 4-5 7.50 7.50 7.00 4-5 7.50 7.50 7.00 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 7.50 7.50 7.50 7.50 4-5 7.50 7.50 | | | | | | | |
| Chinensis Japonica Nana Chinensis Japonica Nana Chinensis Japonica Nana Chinensis Japonica Nana Chinensis Pfitzeriana Nana Chinensis Pfitzeriana Aurea 15-18" 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.25 3.41 3.75 3.50 3.41 3.75 3.41 3.7 | | | | | | | |
| Chinensis Japonica Nana 2-2\frac{1}{2} & 5.00 & 4.50 & 2.3 & 4.00 & 3.75 \ 2\frac{1}{2} & 7.50 & 6.75 & 3.4! & 5.00 & 4.50 \ Chinensis Japonica Procumbens 18-2\frac{1}{2} & 2.75 & 2.50 & Virginiana Burki Burk's Silver 2-2\frac{1}{2} & 3.50 & 3.25 & 3-4! & 5.00 & 4.75 \ 2\frac{1}{2} & 3.50 & 3.25 & 3-4! & 5.00 & 4.75 \ 2\frac{1}{2} & 4.50 & 4.25 & 5.6! & 8.00 & 7.50 \ 3.4! & 6.00 & 5.50 & 7.8! & 11.00 & 10.50 \ 4.5! & 7.00 & 6.50 & Virginiana Canaerti \ 5.6! & 9.00 & 8.50 & 2\frac{1}{2} & 3.75 & 3.50 \ 6.7! & 10.00 & 9.50 & 3.4! & 5.00 & 4.75 \ 18-2\frac{1}{2} & 3.75 & 3.50 & 6.7! & 7.50 & 7.00 \ 18-2\frac{1}{2} & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 7.8! & 9.00 & 8.00 \ 3.4! & 4.75 & 4.50 & 4.75 & 4.55! & 6.00 & 5.75 \ 3.4! & 6.00 & 5.75 & 5.6! & 8.50 & 8.00 \ 4.5! & 5.00 & 4.75 & 4.5! & 6.00 & 5.75 \ 3.4! & 6.00 & 5.75 & 5.6! & 8.50 & 8.00 \ 4.5! & 5.00 & 4.75 & 3.4! & 7.50 & 7.00 \ Columnaris U.S. Gov't Columnar & Virginiana Globosa \ 2\frac{2}{2} & 5.6! & 7.50 & 7.00 \ 4.50 & 7.50 & 7.00 & 7.00 \ 4.51 & 7.50 & 7.00 & 7.00 \ 4.52 & 3! & 5.00 & 4.75 \ 4.00 & 3.75 & 2.2\frac{1}{2} & 6.50 & 6.00 \ 4.50 & 3.4! & 7.50 & 7.50 \ 7.50 & 7.50 & 7.00 \ 4.75 & 6.71 & 7.50 & 7.00 \ 4.75 & 6.71 & 7.50 & 7.50 \ 7.50 & 7.50 & 7.50 \ 7.50 & 7.50 & 7.50 \ 7.50 & 7.50 & 7.50 \ 7.50 & 7.50 & 7.50 \ 7.50 & 7.50 & 7.50 \ 7.50 & 7.50 & 7.50 \ 7.50 & 7.50 & 7.50 \ 7.50 & 7.8! & 12.00 & 10.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 \ 1.50 & 1.50 & 1.50 | | | | | | | |
| 2-2\frac{1}{2\cdot 2} & 5.00 & 4.50 & 2\frac{1}{2} & 5.00 & 4.50 & 3.\frac{1}{2} & 5.00 & 4.5 | | | | | rsoni F | | |
| 2\frac{1}{2} \cdot 7,50 6.75 3-4! 5,00 4.50 6.00 1.22! 3.50 3.25 3-4! 5.00 4.75 2.22! 3.50 3.25 3-4! 5.00 7.50 2.23! 4.50 4.25 5-6! 8.00 7.50 3-4! 6.00 5.50 7-8! 11,00 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 10.50 | | | 4:50 | 23-3: | | | 3:75 |
| Chinonsis Japonica Procumbens 18-24" 2.75 2.50 2-2½! 3.50 3.25 3-4½ 5.00 4.75 21-3¹ 4.50 4.25 5-6¹ 8.00 7.50 3-4½ 6.00 5.50 7-8½ 11.00 10.50 Chinensis Pfitzeriana 3-4½ 6.00 5.50 12-14½ 17.50 16.00 4-5½ 7.00 6.50 Virginiana Canaerti 5-6⅓ 9.00 8.50 22-3⅓ 3.75 3.50 6-7⅓ 10.00 9.50 3-4⅓ 5.00 4.75 Chinensis Pfitzeriana Nana 15-18" 3.75 3.50 6-7⅓ 7.50 7.00 18-2½" 4.75 4.50 7-8⅓ 9.00 8.00 3-4⅓ 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 18-2½" 4.75 4.50 7-8⅓ 9.00 8.00 21-3½ 5.00 4.75 2-2½% 5.00 4.75 2-2½% 5.00 4.75 3-4½ 6.00 5.75 3-4½ 6.00 5.75 3-4⅓ 6.00 5.50 3-4⅓ 7.50 7.00 4-75 Hornzontalis Plumosa 18-2¼" 2.25 2.00 5-6⅓ 8.00 7.50 2-2½% 2.50 2.25 6.7⅓ 10.00 9.00 13-3⅓ 1 0.00 9.00 2-3⅓ 3.00 2.75 7-8⅓ 12.00 10.50 3-4⅙ 7.50 7.50 2-2½% 2.50 2.25 6.7⅓ 10.00 9.00 2-3⅓ 3.00 2.75 7-8⅙ 12.00 10.50 | | | | | | | |
| 18-24 | | | | | | | |
| 2-2½! 3.50 3.25 3-4! 5.00 4.75 2½-3' 4.50 4.25 5-6! 8.00 7.50 3-4! 6.00 5.50 7-8! 11.00 10.50 Chinensis Pfitzeriana 3-4! 6.00 5.50 12-14! 17.50 16.00 4-5! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 2½-3 3.4' 5.00 4.75 6.7! 10.00 9.50 34! 5.00 4.75 Chinensis Pfitzeriana Nana 4.5! 6.00 5.75 15-18" 3.75 3.50 6-7! 7.50 7.00 18-24" 4.75 4.50 7-8! 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2.5-3 4.00 3.75 18-2½! 4.25 3.50 34! 5.00 4.75 2.2½! 5.00 4.75 45 6.00 5.75 3-4! 6.00 5.75 5-6! 8.50 5.00 4-5! 7.50 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2½-3' 4.00 3.75 2-2½! 5.00 4.50 2½-3' 6.50 6.50 6.50 4-5a' 6.00 5.50 34! 7.50 7.00 5-6' 7.50 7.50 7.00 Virginiana Globosa 2½-3' 5.00 4.50 2½-3' 6.50 6.50 6.50 4-5a' 6.00 5.50 34! 7.50 7.00 5-6' 7.50 7.50 7.00 Virginiana Kettleri 6-7' 10.00 9.00 3.4! 7.50 7.00 11-24" 2.25 2.00 5-6! 8.00 7.50 11-24" 2.25 2.50 2.25 6-7! 10.00 9.00 2½-3' 3.00 2.75 7-8! 10.00 9.00 2½-3' 3.00 2.75 7-8! 10.00 9.00 2½-3' 3.00 2.75 7-8! 10.00 9.00 2½-3' 3.00 2.75 7-8! 10.00 9.00 | | | 2.50 | Virginiana : | Burki E | | |
| 22-3! | 2-231 | | | 341 | | 5.00 | 4:75 |
| 3-4! 6.00 5.50 7-8! 11.00 10.50 Chinensis Pfitzeriana 3-4! 6.00 5.50 12-14! 17.50 16.00 4-5! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 2-3: 3.75 3.50 6.7! 10.00 9.50 3.4! 5.00 4.75 Chinensis Pfitzeriana Nara 4.75 4.50 7-8! 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2-3: 4.00 3.75 18-24" 4.25 3.50 3-4: 5.00 4.75 18-22! 5.00 4.75 4.50 7-8! 9.00 8.00 3-4: 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2-3: 4.00 3.75 18-22! 5.00 4.75 4.51 6.00 5.75 3-4: 6.00 5.75 5-6! 8.50 8.00 4.5! 7.50 7.00 6.50 Virginiana Globosa 2-3: 4.00 3.75 Columnaris U.S. Gov't Columnar Virginiana Globosa 2-3: 5.00 4.50 3.4! 5.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Kettleri 6-7: 7.50 7.50 7.00 Virginiana Kettleri 6-7: 10.00 9.00 3.4! 5.00 4.75 Herazontalis Plumosa Andorra 18-24" 2.25 2.00 5-6! 8.00 7.50 2-23: 2.50 2.25 6-7! 10.00 9.00 2-3: 3! 3.00 2.75 7-8! 12.00 10.50 3-4: 4.00 3.50 | 21-31 | | | 5-61 | | 8:00 | 7,50 |
| 3-4! 6.00 5.50 12-14! 17.50 16.00 4-5! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 2.5-3! 3.75 3.50 6.7! 10.00 9.50 3-4! 5.00 4.75 Chinensis Pfitzeriana Nana 15-18" 3.75 4.50 7-8! 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2.5-3! 4.00 3.75 18-24" 4.25 3.50 3-4! 5.00 4.75 2.22! 5.00 4.75 4.55 6.00 5.75 3-4! 4.25 3.50 3-4! 5.00 4.75 2.42! 5.00 4.75 4.5-1 6.00 5.75 Columnaris U.S. Gov't Columnar 24-3! 4.00 3.75 2.42-3! 5.00 4.50 2.23! 6.50 6.00 4.50 5.61 7.50 7.00 Virginiana Globosa 24-31 4.00 3.75 2-2½! 5.00 4.50 4.50 5.61 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 5.61 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Herazontalis Plumosa Andorra 18-24" 2.25 2.00 5-6! 8.00 7.50 2.22: 2.50 5-6! 8.00 7.50 3-4! 3.00 2.75 7-8! 10.00 9.00 3-4! 1.50 7.50 7.00 8.00 7.50 3-4! 3.00 2.75 7-8! 10.00 9.00 | | | 5.50 | 7-81 | | 11.00 | |
| ## 10.00 | Chinensis Pfitzeriana | * | | 8-10 | | 15.00 | 14:00 |
| 5-6' 9:00 8:50 2:-3' 3:75 3:50 6-7' 10.00 9:50 3-4' 5.00 4:75 Chinensis Pfitzeriana Nana 4-5' 6:00 5:75 15-18" 3:75 3:50 6-7' 7:50 7:00 18-24" 4:75 4:50 7-8' 9:00 8:00 3-4' 7:00 6:50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2:-3' 4:00 3:75 18-24!" 4:25 3:50 3-4' 5:00 4:75 2-2:' 5:00 4:75 4-5' 6:00 5:75 3-4' 6:00 5:75 5-6' 8:50 8:00 4-5' 7:50 7:00 6-7' 12:00 11:50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2-3' 4:00 3:75 2-2:' 5:00 4:50 2-3' 6:50 6:00 4-5a' 6:00 5:50 3-4' 7:50 7:00 5-6' 7:50 7:00 Virginiana Kettleri 6-7' 10:00 9:00 3-4' 7:50 7:00 5-6' 7:50 7:00 Virginiana Kettleri 6-7' 10:00 9:00 3-4' 7:50 7:00 18-24" 2:55 2:00 5-6' 8:00 7:50 18-24" 2:55 2:50 5-6' 8:00 7:50 2-2:3' 3:00 2:75 7-8' 12:00 9:00 | 3-4.1 | 6.00 | 5.50 | 12-14 | | 17.50 | 16.00 |
| Chinensis Pfitzeriana Nana 15-18" 3.75 3.50 6.7! 15-18" 3.75 3.50 6.7! 7.50 7.50 7.00 18-24" 4.75 4.50 7-8! 9.00 8.00 3.4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 25-3! 4.00 3.75 2.22! 5.00 4.75 3.4! 6.00 5.75 3.4! 6.00 5.75 3.4! 7.50 7.50 7.50 7.50 7.50 Columnaris U.S. Gov't Columnar 24-3! 4.00 3.75 2-22! 5.00 4.50 2-23! 5.00 4.75 3.4! 5.00 4.50 2-23! 5.00 4.50 2-22! 5.00 4.50 2-22! 5.00 4.50 4.50 4.50 4.50 5.61 7.50 7.50 7.00 Virginiana Globosa 2-3-4! 5.00 4.50 3.4! 5.00 4.50 3.4! 5.00 4.50 5.61 7.50 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3.4! 5.00 4.75 Hernzontalis Plumosa Andorra 18-24" 2.25 2.50 2.55 6.7! 10.00 9.00 2.53! 3.00 2.75 7-8! 10.00 9.00 10.50 | 4-5! | 7.00 | 6:50 | | Canaerti | * | |
| Chinensis Pfitzeriana Nana 15-18" 3:75 3:50 6-7! 7:50 7:00 18-24" 4:75 4:50 7-8! 9:00 8:00 3-4! 7:00 6:50 Virginiana Glauca Chinensis Pfitzeriana Aurea 21-3! 4:00 3:75 2-22! 5:00 4:75 3-4! 6:00 5:75 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 3-4! 5:00 4:50 5:61 7:50 7:00 Virginiana Globosa 24-3: 4:00 3:75 5:60 4:50 6:00 5:75 6:00 5:75 7:00 Virginiana Kettleri 6-7! 10:00 9:00 3-4! 5:00 4:75 Herizontalis Plumosa Andorra 10:24" 2-25: 2-26 | 5-61 | | 8:50 | 2:5-33 | | 3.75 | |
| 15-18" 3:75 3:50 6-7! 7:50 7:00 18-24" 4:75 4:50 7-8! 9.00 8:00 3-4! 7.00 6:50 Virginiana Glauca Chinensis Pfitzeriana Aurea 25-3! 4:00 3:75 18-24! 4:25 3:50 3-4! 5:00 4:75 2-22! 5:00 4:75 4-5! 6:00 5:75 3-4! 6:00 5:75 5-6! 8:50 8:00 4-5! 7.50 7.00 6-7(12:00 11:50 Columnaris U.S. Gov't Columnar Virginiana Globosa 24-3! 4:00 3:75 2-22! 5:00 4:50 3-4! 5:00 4:50 22-3! 6:50 6:00 4-50! 5:00 4:50 22-3! 6:50 6:00 4-50! 7:50 7:00 Virginiana Kettleri 6-7! 10:00 9:00 3-4! 5:00 4:75 Horizontalis Plumosa Anderra 4-5! 6:00 5:50 18-24" 2:25 2:00 5-6! 8:00 7:50 2-22! 2:50 2:25 6-7! 10:00 9:00 2-3-4! 3:00 2:75 7-8! 12:00 10:50 | 671 | 10,00 | 9.50 | | | | |
| 18-24" 4.75 4.50 7-8' 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 25-3' 4.00 3.75 18-24" 4.25 3.50 3-4! 5.00 4.75 2-25! 5.00 4.75 4-5! 6.00 5.75 3-4! 6.00 5.75 5-6! 8.50 3.00 4-5! 7.50 7.00 6-7(12,00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2-3' 4.00 3.75 2-25! 5.00 4.50 3-4! 5.00 4.50 2-3' 6.50 6.50 4-5a' 6.00 5.50 3-4! 7.50 7.00 4-5a' 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Herizontalis Plumosa Anderra 4-5! 6.00 5.50 18-24" 2.25 2.00 5-6! 8.00 7.50 2-25! 2.50 2.25 6-7! 10.00 9.00 2-3! 3.00 2.75 7-8! 12.00 10.50 | | | | | | | |
| Chinensis Pfitzeriana Aurea Chinensis Pfitzeriana Aurea 18-24" 4.25 3.50 4.75 2.22* 5.00 4.75 3.4* 6.00 5.75 3.4* 6.00 5.75 3.4* 6.00 5.75 5.6* Columnaris U.S. Gov't Columnar 2-3' 4.00 3.75 2-22* 5.00 4.50 3-4* 5.00 4.50 3-4* 5.00 4.50 3-4* 5.00 4.50 5.6* 7.50 7.50 7.50 7.50 7.00 Virginiana Globosa 2-2-3* 6.50 6.50 6.00 4-5a* 6.00 5.50 3-4* 7.50 7.50 7.00 Virginiana Kettleri 6-7* Herazontalis Plumosa Andorra 18.24" 2.25 2.00 3-6* 4-5* 6.00 5.50 18.04" 2.25 2.50 2.25 6-7* 10,00 9.00 2-3-4* 10,00 9.00 2-3-4* 10,00 9.00 2-3-4* 10,00 9.00 2-3-4* 10,00 9.00 2-3-4* 10,00 9.00 2-3-5* 10,00 9.00 2-3-6* 10,00 9.00 2-3-6* 10,00 9.00 2-3-6* 10,00 9.00 2-3-6* 10,00 9.00 2-3-6* 10,00 9.00 2-3-6* 10,00 9.00 2-3-6* 10,00 9.00 2-3-6* 10,00 9.00 | | | | | | | |
| Chinensis Pfitzeriana Aurea 18-24" 4:25 3:50 3-4: 5:00 4:75 3-4: 6:00 5:75 3-4: 6:00 5:75 3-4: 7:50 7:50 7:50 7:00 6-7(12,00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 24-3: 3-4: 5:00 4:50 3-4: 5:00 4:50 3-4: 7:50 7:50 7:00 Virginiana Kettleri 6-7: 10.00 9:00 3-4: 6-7: Herizontalis Plumosa Andorra 18:24" 2.25 2.50 2.25 2.00 3-4: 10.00 9:00 2:3: 3-4: 4:00 3:75 10.00 9:00 2:3: 3-4: 4:00 3:75 10:00 9:00 2:3: 3-4: 4:00 3:75 10:00 9:00 2:3: 3-4: 4:00 3:75 10:00 9:00 10:50 | | | | | | 9.00 | 8.00 |
| 18-24" 2-25' 5.00 4.75 4-5' 6.00 5.75 3-4' 6.00 5.75 5-6' 8.50 8.00 4-5' 7.50 7.00 6-7(12,00 11.50 Columnaris U.S. Gov't Columnar 2-3' 4.00 3.75 2-25' 5.00 4.50 3-4' 5.00 4.50 2-3' 6.50 6.00 4-5a' 6.00 5.50 3-4' 7.50 7.00 5-6' 7.50 7.00 Virginiana Kettleri 6-7' 10.00 9.00 3-4' 7.50 7.00 Herizontalis Plumosa Andorra 18-24" 2.25 2.00 5-6' 8.00 7.50 2-25' 2.50 2.55 6-7' 10.00 9.00 2-3' 3' 3.00 2.75 7-8' 12.00 10.50 3-4' 4.00 3.50 | 3-4 | 7.00 | 6.50 | | Glauca | . * ^ ^ | 0 88 |
| 2-22 5.00 4.75 4-5! 6.00 5.75 3-4! 6.00 5.75 5-6! 8.50 3.00 4-5! 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2-3' 4.00 3.75 2-22' 5.00 4.50 3-4! 5.00 4.50 2-3' 6.50 6.00 4-5a' 6.00 5.50 3-4' 7.50 7.00 5-6! 7.50 7.00 Virginiana Kettlori 6-7! 10.00 9.00 3-4! 5.00 4.75 Herizontalis Plumosa Andorra 4-5! 6.00 5.50 18-24" 2.25 2.00 5-6! 8.00 7.50 2-22' 2.50 2.25 6-7! 10.00 9.00 2-3' 3' 3.00 2.75 7-8' 12.00 10.50 | | | 0: 70 | 25-31 | | | |
| 4-51 7.50 7.00 6-70 12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 6.50 6.50 6.50 6.00 6.50 6.00 6.50 6.00 7.50 7.00 7.50 7.00 7.50 7.00 7.50 7.00 7.50 7.50 7.00 7.50 <td< td=""><td>18-2/4"</td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | 18-2/4" | | | | | | |
| 4-51 7.50 7.00 6-70 12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 6.50 6.50 6.50 6.00 6.50 6.00 6.50 6.00 7.50 7.00 7.50 7.00 7.50 7.00 7.50 7.00 7.50 7.50 7.00 7.50 <td< td=""><td>2-22</td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | 2-22 | | | | | | |
| Columnaris U.S. Gov't Columnar Virginiana Globosa 24-3' 4.00 3.75 2-2½' 5.00 4.50 3-4' 5.00 4.50 23-3' 6.50 6.50 6.00 4-5a' 6.00 5.50 3-4' 7.50 7.00 5.6' 7.50 7.00 Virginiana Globosa 7.50 6.00 6.50 6.00 5.6' 7.50 7.00 Virginiana Globosa 7.50 7.50 7.00 5.6' 7.50 7.00 Virginiana Globosa 7.50 6.00 6.00 5.6' 7.50 7.50 7.50 7.50 7.50 7.50 18.24" 2.25 2.00 3-4' 7.50 7.50 2.24' 2.25 2.00 5-6' 8.00 7.50 2.24' 2.50 2.25 6-7' 10.00 9.00 2.3' 3.00 2.75 7-8' 12.00 10.50 3.4' 4.00 3.50 4.00 10.50 10.50 | 3-4. | | | | | | |
| 2-3' 4.00 3.75 2-2½' 5.00 4.50 4.50 4.50 4.50 4.50 4.50 4.50 | 4-5' | | | | 7 - 1 | 12,00 | TTPOO |
| 3-4! 5:00 4:50 2:-3: 6.50 6:00 4-5a' 6:00 5:50 3-4' 7.50 7:00 5.6! 7.50 7:00 Virginiona Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Herazontalis Plumosa Andorra 4-5! 6:00 5:50 18.24" 2.25 2:00 5-6! 8:00 7:50 2-22: 2:50 2:25 6-7! 10:00 9.00 21.3! 3:00 2:75 7-8! 12.00 10.50 3-4! 4:00 3:50 | | | | | Toposa | E.CO | 1:50 |
| 4-5a 6.00 5.50 3-4 7.00 7.00 5.61 7.50 7.00 5.61 7.50 7.00 Virginiana Kettleri 6-7 10.00 9.00 3-4 5.00 4.75 6.00 5.50 18.24 24 25 2.00 5-6 8.00 7.50 2.25 2.50 2.25 6-7 10.00 9.00 21.3 3.00 2.75 7-8 12.00 10.50 3.40 4.00 3.50 | | | | | | | |
| 5.61 7.50 7.00 Virginiona Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Herazontalis Plumosa Andorra 4-5! 6.00 5.50 18.24" 2.25 2.00 5-6! 8.00 7.50 2-22 2.50 2.25 6-7! 10.00 9.00 21.3! 3.00 2.75 7-8! 12.00 10.50 3.4! 4.00 3.50 | | | | | | | |
| 6-7! 10.00 9.00 3-4! 5.00 4.75 Herizontalis Plumosa Andorra 4-5! 6.00 5.50 18.24" 2.25 2.00 5-6! 8.00 7.50 2.25 2.50 2.25 6-7! 10.00 9.00 2.31 3.00 2.75 7-8! 12.00 10.50 | | | | | fro [++a | 7.50 | 1,000 |
| Herizontalis Plumosa Andorra 4-5! 6.00 5.50 18.24" 2.25 2.00 5-6! 8.00 7.50 2.25 2.50 2.25 6-7! 10.00 9.00 2.3! 3.00 2.75 7-8! 12.00 10.50 3.4! 4.00 3.50 | | | | | e corert | 5.00 | 1. 775 |
| 18. 24" 2.25 2.00 5-6! 8.00 7.50 2-2½ 2.50 2.25 6-7! 10.00 9.00 2.3! 3.00 2.75 7-8! 12.00 10.50 3.4! 4.00 3.50 | | | | | | | |
| 2-22 2.50 2.25 6-7 2.31 3.00 2.75 7-8 3.41 4.00 3.50 | | | | | | | |
| 2\.3\\\3\.00\\\2\.75\\\7\-8\\\\3\.00\\\10\.50\\\3\.4\\\00\\\3\.50\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | | | | | | 9.00 |
| 3.4.2 | | | | | | | |
| | | | | 1-0. | 1 | 12,000 | 10000 |
| /INO 1: 00 Hz 00 | 451 | 5,00 | 4.50 | | • | | |





NEW AUGUSTA, IND.

| | | rage | -4- | | |
|-------------------------|-------|--------|----------------------|-------------------|-------|
| FINISHED GRADES Contid | | | | E | X |
| | E | X | andra A | al _e d | |
| JUNIPERUS | | i | PICEA | | |
| Virginiana Kosteri | | | Pungense Kosteriana | 75.00 | 14:00 |
| 2-221 | 3.50 | 3.25 | 561 | 15.00 | 17.50 |
| | 4.50 | 4:25 | 6-71 | 20:00 | |
| 22-31 | 6:00 | 5,50 | 7-81 | 25:00 | 22:50 |
| 3-41 | 7.50 | 7.00 | 8101 | 30.00 | 27.50 |
| 4-51 | | Dundee | PINUS | | |
| Virginiana Pyramidfolia | | 3.75 | Montana Mughus | * | |
| 21-31 | 4.00 | | 12-15" | 2.00 | 1.75 |
| 3-41 | 5.00 | 4.75 | 15-18" | 2,25 | 2,00 |
| 4-51 | 6,00 | 5,50 | 77-10 | 2.75 | 2.50 |
| 5-61 | 8,00 | 7:50 | 18-24" | 3.50 | 3.25 |
| 7-81 | 10.00 | 9:00 | 2-221 | 2000 | 74 |
| Virginiana Smithii | * | | THUJA | | |
| 4-5 | 6:75 | 6:50 | Occidentalis | 0.00 | 1.75 |
| | 8,00 | 7,50 | 2-22 | 2,00 | |
| 5-61 | 0,00 | | 20-31 | 2.50 | 2.25 |
| PICEA | | | 3-41 | 3:00 | 2.75 |
| Canadensis | 1100 | 3.75 | 4-51 | 4.00 | 3.75 |
| 3-4 | 4,00 | 4.75 | 7-81 | 7:50 | 7.25 |
| 4-5 | 5,00 | | 8-10' | 10.00 | 9.50 |
| 5-61 | 6.50 | 6.25 | Occidentalis Pyramid | | |
| Canadensis Conica Albe | rtina | | o ol: | 3:00 | 2:75 |
| Dwarf Alberta S | oruce | | 2-21: | 3.25 | 3.00 |
| 15-18" | 4:00 | 3.75 | 29-31 | 4.00 | 3.75 |
| 18-24" | 5:00 | 4.75 | 3-4. | | 4.50 |
| | 6.00 | 5:50 | 4-51 | 4.75 | 5.50 |
| 2-22! | 8:00 | 7:50 | 56! | 5.75 | |
| 23-31 | 10.00 | 9.00 | 6-71 | 7.50 | 7,00 |
| 3-41 | 12.00 | 10.50 | Occidentalis Rosenth | nali | |
| 4-5 | 12,00 | 100,00 | 4-51 | 4.75 | 4.50 |
| Excelsa | 1:50 | 4.25 | 561 | 5.75 | 5.50 |
| 21-31 | 4:50 | | Occidentalis Warrear | na | |
| 3-41 | 6:00 | 5.75 | 10-24" | 1.75 | 1.50 |
| 4-51 | 7.50 | 7.25 | 2-21 | 2.50 | 2,25 |
| 5-61 | 9.00 | 8.75 | 21 2 | 3.25 | 3.00 |
| 6-71 | 10.50 | 10,00 | 22-3: | 4:50 | 4.25 |
| 7-81 | 12:00 | 11:50 | 3-41. | 6,00 | 5,50 |
| 8-10' | 15:00 | 14:50 | 4-51 | | |
| 10-12" | 18,00 | 17.50 | Occidentalis Woodwa | 2:00 | 1.75 |
| Excelsa Globosa | | | 12-15" | | 2,25 |
| EXCELSE GIODOSE | 4.50 | 4,25 | 15-10" | 2:50 | 2,75 |
| 2-25: | 6.00 | 5.50 | 18-24" | 3.00 | 2 25 |
| 23-3: | 7.50 | 7,00 | 2-21: | 3.50 | 3 25 |
| 3-41 | 1.00 | 1300 | Occidentalis Elegant | issima | |
| Ercelsa Pyramidalis | 0:05 | 2,00 | 15-18" | 2,50 | 2,25 |
| 18-24" | 2:25 | | 18-24" | 3:00 | 2.75 |
| 2.21 | 3.00 | 2.75 | 3.4 | 4:00 | 3:75 |
| 23-31 3-44 | 3:50 | 3.25 | 1 2 . | 5.00 | 4.75 |
| 3.1/18. | 4.00 | 3:75 | 2 m) | | |
| 4.5 | 4.50 | 4.25 | motic A | | |
| Excelsa Spreading | * | | TSUGA | | |
| 26. 20 | 4:50 | 4:25 | | 5:50 | 5:25 |
| 2:11 | 6:00 | 5.75 | 3-41 | | 7:50 |
| 24-3* 3-5-4* 3-4* | 7:50 | 7:00 | 4-5 | 8:00 | 0.50 |
| 33-4 | 10.00 | 9.00 | 561 | 10:00 | 9:50 |
| 4.5 | 10.00 | ,,,,, | 6-71 | 12:00 | 11.50 |
| | | | 7-81 | 17:50 | 16,50 |
| | | | 8-10& | 24,00 | 22.50 |
| | | | | | |







FINE EVERGREENS, TREES, PERENNIALS,

4 4 4 5

•

1,75 %

. .

CO14

"Landscaping which Lasts"

3,75.

NEW AUGUSTA, IND.

pEdTDUOUS SHRUBS in finished sizes hard to find. Except as noted, all plants are priced bare root. We will quote special rates for furnishing B&B. Prices listed are each in lots up to 5 E, in lots 5 to 10 X. For larger quantities, write for special quotation.

| | E | X | | E | X |
|---------------------|------------|-------|-----------------------|-----------------|------|
| AMELANCHIER | - | | PHYSOCARFUS | | |
| Laevis | | | Opulifolius Nana | | |
| 12-14 B&B | 13,50 | 12,50 | 3-4 | .55 | *50 |
| ARONIA : | | | PRUNUS | | |
| Brilliantissima | * | | Bergeyi | | ** |
| 3.40 | ,80 | .75 | 4-5 | 1.00 | .90 |
| PERDERUS. | | | RUBES | | |
| Koreanna | | | Aureum | ~^ | , = |
| 34* | 1.00 | 195 | 16-53 | .50 | .45 |
| Puriflora Erecta | | NO 44 | SAMBUCUS | | |
| 2+3 | ,60 | 155 | Caradensis Acutifolia | .60 | .55 |
| DEUTZJA | | | SPIREA | •00 | •// |
| Prilde of Rochester | 7 00 | IOE | Arguba | | , |
| 5-67 | 1.00 | 1.10 | 4-5 | .65 | .60 |
| 6-7: ELEACNUS | 1,20 | TITO | Menzili Macrothysa | • • • | , |
| Argentea 7-8! | 1.75 | 1,60 | 14-5 | .50 | *45 |
| FORSYTHIA | 2017 | 1,00 | Thunbergii | | 1 |
| Spectabilis | | | 23 | .40 | .35 |
| 563 | .85 | .80 | Trachocarpa | | |
| HYBERICUM | 4-7 | | 1,-58 | •50 | •45 |
| Auroum | | | SYMPHORICARPOS | | |
| 2-3! | :50 | 145 | Racemosus | | |
| 3.4: | .60 | .55 | Swell " | 50 | 145 |
| LIGUSTRUM | | | 4-5- | ₀ 60 | o.55 |
| Pegolianum | a - Carrie | * | Vulgaris | | :45 |
| 3-4: | 450 | 145 | 3-4 | :50 | |
| LONICEIA | | | 4-5 | .60 | .55 |
| Morrovii | | ./. | SYRINGA | | - |
| ÷-5° | :65 | :60 | Vulgaris Alba | .90 | ,,80 |
| 56% | .75 | ,65 | 671 | 1.00 | 20 |
| Washingtoni | .75 | .65 | Owie / | 7.000 | ** |
| 5-6" PHYSOCARPUS | *12 | .0) | | | |
| | | | | | |
| Opulifolius | .80 | .75 | | | |
| 6-71 | •00 | * 12 | | | |

1

33,1

, 9

£ 4

*

03.

-12





SHRUBS,

Landscaping which Lasts"

NEW AUGUSTA, IND.

CO'A